

**CHAUVET EUROPE - UK**  
 Brookhill Road Industrial Estate  
 Pinxton - Nottingham - NG16 6NT - UK  
 Tel: +44 1773 511115

E-mail: [uksales@chauvetlighting.eu](mailto:uksales@chauvetlighting.eu)



[www.chauvetpro.eu](http://www.chauvetpro.eu)

**CHAUVET EUROPE - Belgium**  
 Stokstraat 18  
 9770 Kruishoutem - Belgium  
 Tel: +32 9 388 93 97

Remarks						Master Pack Data				
Item	Photo		UPC Code	QTY	Length (CM)	Width (CM)	Height (CM)	Weight (KG)		
F3X4			<b>F3, SMD LED Video Panel 4-Pack</b> Includes: Flight case, 4 powerCON Linking Cables (0.75m), 4 etherCON Linking Cables (0.75m) Control: etherCON Optional Rigging Accessory: F Series Rigging Bar 50cm / 100cm	781462215958	1					
F4IPX4			<b>F4IP, SMD LED Video Panel 4-Pack</b> Includes: Flight case, Seetronic Powerkon IP65 Link Cables (0.75m), 4 etherCON Linking Cables (0.75m) Control: etherCON Optional Rigging Accessory: F Series Rigging Bar 50cm / 100cm	781462216757	1					
RBF100CM			<b>F Series Rig Bar (100cm)</b> Single, 2 units width rigging bar for F-Series video panels. Includes 2 pcs RB-XEBK	781462215989	1					
RBF50CMX2			<b>F Series Rig Bar (50cm)</b> 2 pcs, Single unit width rigging bars for F-Series video panels.	781462215972	1					
MT03			<b>F3 module replacement tool</b> Magnetic LED module replacement tool for the F3	781462215996	1	41.00	26.00	41.00 14.00		
ARKAOSMMEKN			<b>ArKaos Media Master Express + KN</b> Includes: Software Only	N/A	1					
PCEXT0.5M			<b>14 Gauge powerCON Extension 0.5m</b>		1					
PCEXT1.5M			<b>14 Gauge powerCON Extension 1.5m</b>		1					
PCEXT3.0M			<b>14 Gauge powerCON Extension 3.0m</b>		1					
PCEXT10.0M			<b>14 Gauge powerCON Extension 10.0m</b>		1					
VIPDRIV43NOVA			<b>VIP Drive 43Nova</b> NovaStar Protocol Switcher/Scaler and driver in one. Required to convert video signal in F Series systems Includes: PowerCON power cord, 1pc dvi cable	781462215804	1					
POWERSTREAM4			<b>Power Stream 4</b>	781462207830	4	27.50	22.50	27.00 3.20		
EPIXBARTOUR			<b>EPIX Bar Tour</b> Control: 4-pin XLR Requires EPIX Drive 900, ratio of 1 drive to 6 bars	781462214883	2	22.50	110.00	9.50 6.20		
EPIXSTRIPTOUR			<b>EPIX Strip Tour</b> Control: 4-pin XLR Requires EPIX Drive 900, ratio of 1 drive to 18 Strips	781462214876	4	35.00	110.00	16.50 9.30		
EPIXSTRIPIP			<b>EPIX Strip IP</b> Control: 4-pin IP XLR Requires EPIX Drive 2000IP	781462216665	4					
EPIXSTRIPDOME			<b>EPIX Strip Dome Accessory</b> Includes: 4 pcs Dome accessory for the EPIX Strip Tour	781462214906	4	11.50	103.00	7.00 1.50		
EPIXDRIVE900			<b>EPIX Drive 900</b> Includes: powerCON Power Cord Control: etherCON Used to control EPIX TOUR products, 4-pin XLR output, up to 900 LEDs total	781462214890	1	10.00	35.50	28.50 3.50		
EPIXDRIVE2000IP			<b>EPIX Drive 2000 IP</b> Includes: Seetronic Powerkon IP65 Power Cord Control: etherCON Used to control EPIX TOUR products, 4-pin XLR output, up to 900 LEDs total	781462216672	1					
4PXLREXT16IN			<b>unshielded 4-pin XLR Extension, 16 in</b> for EPIX Tour series	781462215125	25	35.00	28.00	14.00 3.40		
4PXLREXT5FT			<b>unshielded 4-pin XLR Extension, 5 ft</b> for EPIX Tour series	781462215132	15	30.00	28.00	14.00 3.20		
4PXLREXT5OFT			<b>unshielded 4-pin XLR Extension, 50 ft</b> for EPIX Tour series	781462215149	10	51.00	30.00	34.00 14.00		
IP4PINEXT16IN			<b>4-pin outdoor extension, 16 in</b> for EPIX Strip IP only	781462216566	1					
IP4PINEXT5FT			<b>4-pin outdoor extension, 5 ft</b> for EPIX Strip IP only	781462216573	1					
IP4PINEXT5OFT			<b>4-pin outdoor extension, 50 ft</b> for EPIX Strip IP only	781462216580	1					
MAVERICKMK1SPOT			<b>Maverick MK1 Spot</b> Includes: Seetronic Powerkon IP65 Power Cord, 2pcs Omega Brackets Control: 3-pin DMX, 5-pin DMX, Art-Net, sACN, Kling-Net, DMX, W-DMX	781462216597	1					
MAVERICKMK2SPOT			<b>Maverick MK2 Spot</b> Includes: Seetronic Powerkon IP65 Power Cord, 2pcs Omega Brackets Control: 3-pin DMX, 5-pin DMX, Art-Net, sACN, Kling-Net, DMX, W-DMX	781462215026	1	75.00	35.00	50.00 33.50		
MAVERICKMK2WASH			<b>Maverick MK2 Wash</b> Includes: Seetronic Powerkon IP65 Power Cord, 2pcs Omega Brackets Control: 3-pin DMX, 5-pin DMX, Art-Net, sACN, Kling-Net, DMX, W-DMX	781462215491	1	53.00	35.00	41.00 17.50		
MAVERICKMK3WASH			<b>Maverick MK3 Wash</b> Includes: Seetronic Powerkon IP65 Power Cord, 2pcs Omega Brackets Control: 3-pin DMX, 5-pin DMX, Art-Net, sACN, Kling-Net, DMX, W-DMX	781462216610	1					
MAVERICKMK1HYBRID			<b>Maverick MK1 Hybrid</b> Includes: Seetronic Powerkon IP65 Power Cord, 2pcs Omega Brackets Control: 3-pin DMX, 5-pin DMX, Art-Net, sACN, Kling-Net, DMX, W-DMX - Lamp: USSR440	781462215507	1					
ROGUE1FXB			<b>ROGUE R1 FX-B</b> Includes: powerCON Power Cord, 2pcs Omega Brackets Control: 3-pin DMX, 5-pin DMX ArtNet, sACN, Klingnet	781462215514	1	71.00	32.00	27.00 13.50		
ROGUER1BEAM			<b>ROGUE R1 Beam</b> Includes: powerCON Power Cord, 2pcs Omega Brackets, USSR132 Lamp Control: 3-pin DMX, 5-pin DMX	781462211783	1	51.00	36.00	41.60 21.50		
ROGUER1SPOT			<b>ROGUE R1 Spot</b> Includes: powerCON Power Cord, 2pcs Omega Brackets Control: 3-pin DMX, 5-pin DMX	781462211769	1	51.00	36.00	41.60 16.30		
ROGUER1WASH			<b>ROGUE R1 Wash</b> Includes: powerCON Power Cord, 2pcs Omega Brackets Control: 3-pin DMX, 5-pin DMX	781462211769	1	40.50	25.50	34.00 8.50		

**CHAUVET EUROPE - UK**  
 Brookhill Road Industrial Estate  
 Pinxton - Nottingham - NG16 6NT - UK  
 Tel: +44 1773 511115

E-mail: [uksales@chauvetlighting.eu](mailto:uksales@chauvetlighting.eu)



[www.chauvetpro.eu](http://www.chauvetpro.eu)

**CHAUVET EUROPE - Belgium**  
 Stokstraat 18  
 9770 Kruishoutem - Belgium  
 Tel: +32 9 388 93 97

Remarks						Master Pack Data				
Item	Photo		UPC Code	QTY	Length (CM)	Width (CM)	Height (CM)	Weight (KG)		
ROGUER2BEAM		<b>Rogue R2 Beam</b> Includes: powerCON Power Cord, 2pcs Omega Brackets, USR230 Lamp Control: 3-pin DMX, 5-pin DMX	781462211790	1	53.50	38.00	45.00	23.60		
ROGUER2SPOT		<b>Rogue R2 Spot</b> Includes: powerCON Power Cord, 2pcs Omega Brackets Control: 3-pin DMX, 5-pin DMX	781462211776	1	55.00	41.20	46.00	23.50		
ROGUER2WASH		<b>Rogue R2 Wash</b> Includes: powerCON Power Cord, 2pcs Omega Brackets Control: 3-pin DMX, 5-pin DMX	781462212582	1	48.00	27.00	37.50	13.00		
ROGUER3WASH		<b>Rogue R3 Wash</b> Includes: powerCON Power Cord, 2pcs Omega Brackets Control: 3-pin DMX, 5-pin DMX	781462216078	1						
ROGUERH1		<b>Rogue RH1 Hybrid</b> Includes: Lamp, powerCON Power Cord, 2pcs Omega Brackets Control: 3-pin DMX, 5-pin DMX	781462212971	1	59.50	52.00	44.50	27.50		
OVATIONB2805FC		<b>Ovation B-2805FC</b> Includes: powerCON Power Cord, Color Blending Filter Control: 3-pin DMX, 5-pin DMX, ArtNet, sACN,	781462215576	1						
OVATIONB1965FC		<b>Ovation B-1965FC</b> Includes: powerCON Power Cord, Color Blending Filter Control: 3-pin DMX, 5-pin DMX, ArtNet, sACN,	781462216443	1						
OVATIONB565FC		<b>Ovation B-565FC</b> Includes: powerCON Power Cord, Color Blending Filter Control: 3-pin DMX, 5-pin DMX, ArtNet, sACN,	781462215842	1						
OVATIONC805FC		<b>Ovation C-805FC</b> Includes: powerCON Power Cord, 2pc Omega Brackets Control: 3-pin DMX, 5-pin DMX		1	37.50	36.50	46.00	11.50		
OVATIONE160WW		<b>Ovation E-160WW</b> Includes: Light Engine Only, powerCON Power Cord - NO LENS TUBE Control: 3-pin DMX, 5-pin DMX	781462215859	1						
OVATIONE160WW14		<b>Ovation E-160WW with 14deg</b> Includes: Engine, 14deg HD Lens Tube, Gel Frame, powerCON Power Cord Control: 3-pin DMX, 5-pin DMX	N/A	1						
OVATIONE160WW19 OVATIONE160WW26 OVATIONE160WW36 OVATIONE160WW50		<b>Ovation E-160WW with 19 or 26 or 36 or 50deg</b> Includes: Engine, 19 or 26 or 36 or 50deg HD Lens Tube, Gel Frame, powerCON Power Cord Control: 3-pin DMX, 5-pin DMX	N/A	1						
OVATIONED190WW		<b>Ovation ED-190WW</b> Includes: Light Engine Only, powerCON Power Cord - NO LENS TUBE Control: Dimmer or 3-pin DMX, 5-pin DMX	781462213084	1	71.00	30.00	35.50	9.50		
OVATIONED190WW14		<b>Ovation ED-190WW with 14deg</b> Includes: Engine, 14deg HD Lens Tube, Gel Frame, powerCON Power Cord Control: Dimmer or 3-pin DMX, 5-pin DMX	N/A	1						
OVATIONED190WW19 OVATIONED190WW26 OVATIONED190WW36 OVATIONED190WW50		<b>Ovation ED-190WW with 19 or 26 or 36 or 50deg</b> Includes: Engine, 19 or 26 or 36 or 50deg HD Lens Tube, Gel Frame, powerCON Power Cord Control: 3-pin DMX, 5-pin DMX	N/A	1						
OVATIONE260CW		<b>Ovation E-260CW</b> Includes: Light Engine Only, powerCON Power Cord - NO LENS TUBE Control: 3-pin DMX, 5-pin DMX		1	69.50	39.00	36.50	13.50		
OVATIONE260WW		<b>Ovation E-260WW</b> Includes: Light Engine Only, powerCON Power Cord - NO LENS TUBE Control: 3-pin DMX, 5-pin DMX	781462215941	1	69.50	39.00	36.50	13.50		
OVATIONE260WW14		<b>Ovation E-260WW with 14deg</b> Includes: Engine, 14deg HD Lens Tube, Gel Frame, powerCON Power Cord Control: 3-pin DMX, 5-pin DMX	N/A	1						
OVATIONE260WW19 OVATIONE260WW26 OVATIONE260WW36 OVATIONE260WW50		<b>Ovation E-260WW - with 19 or 26 or 36 or 50deg</b> Includes: Engine, 19 or 26 or 36 or 50deg HD Lens Tube, Gel Frame, powerCON Power Cord Control: 3-pin DMX, 5-pin DMX	N/A	1						
OVATIONE260WWWHT		<b>Ovation E-260WW with White Housing</b> Includes: White Painted Light Engine Only, powerCON Power Cord - NO LENS TUBE Control: 3-pin DMX, 5-pin DMX		1	69.50	39.00	36.50	13.50		
OVATIONE260WW19WHT OVATIONE260WW26WHT OVATIONE260WW36WHT OVATIONE260WW50WHT		<b>Ovation E-260WW - with 19 or 26 or 36 or 50deg with White Housing</b> Includes: Engine, 19 or 26 or 36 or 50deg HD Lens Tube, Gel Frame, powerCON Power Cord Control: 3-pin DMX, 5-pin DMX								
OVATIONE260WWIP		<b>Ovation E-260WWIP</b> Includes: Light Engine Only, powerCON Power Cord - NO LENS TUBE Control: 3-pin DMX, 5-pin DMX	781462215873	1	69.50	39.00	36.50	13.50		
OVATIONE260WWIP14		<b>Ovation E-260WWIP with 14deg</b> Includes: Engine, 14deg HD Lens Tube, Gel Frame, powerCON Power Cord Control: 3-pin DMX, 5-pin DMX	N/A							
OVATIONE260WWIP19/26/36/50		<b>Ovation E-260WWIP - with 19 or 26 or 36 or 50deg</b> Includes: Engine, 19 or 26 or 36 or 50deg HD Lens Tube, Gel Frame, powerCON Power Cord Control: 3-pin DMX, 5-pin DMX	N/A							
OVATIONE910FC		<b>Ovation E-910FC</b> Includes: Light Engine Only, powerCON Power Cord - NO LENS TUBE Control: 3-pin DMX, 5-pin DMX	781462214647	1	69.50	39.00	36.50	14.00		
OVATIONE910FC14		<b>Ovation E-910FC with 14deg</b> Includes: Engine, 14deg HD Lens Tube, Gel Frame, powerCON Power Cord Control: 3-pin DMX, 5-pin DMX	N/A							

**CHAUVET EUROPE - UK**  
 Brookhill Road Industrial Estate  
 Pinxton - Nottingham - NG16 6NT - UK  
 Tel: +44 1773 511115



**CHAUVET EUROPE - Belgium**  
 Stokstraat 18  
 9770 Kruishoutem - Belgium  
 Tel: +32 9 388 93 97

E-mail: uksales@chauvetlighting.eu

www.chauvetpro.eu

Remarks						Master Pack Data				
Item	Photo		UPC Code	QTY	Length (CM)	Width (CM)	Height (CM)	Weight (KG)		
OVATIONE910FC19 OVATIONE910FC26 OVATIONE910FC36 OVATIONE910FC50		<b>Ovation E-910FC - with 19 or 26 or 36 or 50deg</b> Includes: Engine, 19 or 26 or 36 or 50deg HD Lens Tube, Gel Frame, powerCON Power Cord Control: 3-pin DMX, 5-pin DMX	N/A							
OVATIONE910FCWHT	<b>NEW</b>	<b>Ovation E-910FC with White Housing</b> Includes: White Painted Light Engine Only, powerCON Power Cord - NO LENS TUBE Control: 3-pin DMX, 5-pin DMX		1	69.50	39.00	36.50	14.00		
OVATIONE910FC19WHT OVATIONE910FC26WHT OVATIONE910FC36WHT OVATIONE910FC50WHT	<b>NEW</b>	<b>Ovation E-910FC - with 19 or 26 or 36 or 50deg with White Housing</b> Includes: White Painted Light Engine, 19 or 26 or 36 or 50deg HD Lens Tube, Gel Frame, powerCON Power Cord Control: 3-pin DMX, 5-pin DMX	N/A							
OHDLENS14		<b>14 Degree Ovation Ellipsoidal HD Lens Tube</b> Includes: Gel Frame, Lens Tube Only - NO LIGHT ENGINE INCLUDED	781462216061	1						
OHDLENS19 OHDLENS26 OHDLENS36 OHDLENS50		<b>19 or 26 or 36 or 50 Degree Ovation Ellipsoidal HD Lens Tube</b> Includes: Gel Frame, Lens Tube Only - NO LIGHT ENGINE INCLUDED	781462214654 781462214661 781462214678 781462214685	1	23.50	23.50	33.00	2.50		
OHDLENS19WHT OHDLENS26WHT OHDLENS36WHT OHDLENS50WHT	<b>NEW</b>	<b>19 or 26 or 36 or 50 Degree Ovation Ellipsoidal HD Lens Tube White Housing</b> Includes: Gel Frame, White Painted Lens Tube Only - NO LIGHT ENGINE INCLUDED		1	23.50	23.50	33.00	2.50		
OHDZOOM1530	<b>NEW</b>	<b>15-30 Degree Ovation HD Zoom Lens</b> Includes: Gel Frame, Lens Tube Only - NO LIGHT ENGINE INCLUDED	781462216467	1						
OHDZOOM2550	<b>NEW</b>	<b>25-50 Degree Ovation HD Zoom Lens</b> Includes: Gel Frame, Lens Tube Only - NO LIGHT ENGINE INCLUDED	781462216528	1						
OVATIONF165WW		<b>Ovation F-165WW</b> Includes: powerCON Power Cord Control: 3-pin DMX, 5-pin DMX	781462209995	1	49.50	33.00	35.50	8.50		
OVATIONFD165WW		<b>Ovation FD-165WW</b> Includes: powerCON Power Cord Control: Dimmer or 3-pin DMX, 5-pin DMX	718462213091	1	49.50	33.00	35.50	8.50		
OVATIONF95WW		<b>Ovation F-95WW</b> Includes: powerCON Power Cord Control: 3-pin DMX, 5-pin DMX	781462210694	1	49.50	33.00	35.50	8.50		
OMINE10CWZ		<b>Ovation MIN-E-10CWZ</b> Includes: Engine, 19-36 deg lens, gel frame, fixed power cord	781462215095	6	38.50	26.00	23.50	9.50		
OMINE10WWZ		<b>Ovation MIN-E-10WWZ</b> Includes: Engine, 19-36 deg lens, gel frame, fixed power cord	781462215118	6	38.50	26.00	23.50	9.50		
OF75BARNDOOR		<b>F7.5" Barndoor fits Ovation F165</b>	781462212209	6						
OF625BARNDOOR		<b>F6.25" Barndoor fits Ovation F95</b>	781462212193	10						
COLORADO1QZOOM		<b>COLORado 1-Quad Zoom</b> Includes: Seetronic Powerkon IP65 Power Cord, Gel Frame Control: 5-pin DMX	781462215910	1						
COLORADO1QZOOMVV		<b>COLORado 1-Quad Zoom VV</b> Includes: Seetronic Powerkon IP65 Power Cord, Gel Frame Control: 5-pin DMX	781462215729	1						
COLORADO1SOLO		<b>COLORado 1-SOLO - with zoom 8 to 55</b> Includes: Seetronic Powerkon IP65 Power Cord, Gel Frame Control: 5-pin DMX	781462214722	1	44.50	26.50	32.50	7.00		
COLORADO1TRITOUR		<b>COLORado 1-Tri Tour</b> Includes: powerCON Power Cord, Gel Frame Holder, Gel Frame Control: 3-pin DMX, 5-pin DMX	781462204228	1	37.50	33.00	29.00	6.20		
COLORADO2QZOOM		<b>COLORado 2-Quad Zoom</b> Includes: Seetronic Powerkon IP65 Power Cord, Gel Frame Control: 3-pin DMX, 5-pin DMX	781462215927	1	43.50	30.50	39.50	10.20		
COLORADO2SOLO		<b>COLORado 2-SOLO</b> Includes: Seetronic Powerkon IP65 Power Cord, Gel Frame Control: 3-pin DMX, 5-pin DMX	781462215934							
COLORADO3SOLO		<b>COLORado 3-SOLO</b> Includes: Seetronic Powerkon IP65 Power Cord, Gel Frame Control: 3-pin DMX, 5-pin DMX	781462215811	1	47.00	31.50	38.00	11.50		
COLORADOBATTEN72TOUR		<b>COLORado Batten 72 Tour</b> Includes: powerCON Power Cord Control: 3-pin DMX, 5-pin DMX	781462204266	1	107.00	15.00	10.00	6.20		
COLORADO1QZOOM		<b>COLORado 1-Quad Zoom</b> Includes: Seetronic Powerkon IP65 Power Cord, Gel Frame Control: 5-pin DMX	781462215910	1						
COLORADO1QZOOMVV		<b>COLORado 1-Quad Zoom VV</b> Includes: Seetronic Powerkon IP65 Power Cord, Gel Frame Control: 5-pin DMX	781462215729	1						
COLORADO1SOLO		<b>COLORado 1-SOLO - with zoom 8 to 55</b> Includes: Seetronic Powerkon IP65 Power Cord, Gel Frame Control: 5-pin DMX	781462214722	1	44.50	26.50	32.50	7.00		
COLORADO1TRIIP		<b>COLORado 1-Tri IP</b> Includes: IP to Power In/Out Cords, IP to DMX In/Out Cords, Gel Frame Holder, Gel Frame Control: 5-pin DMX	781462205874	1	37.50	33.00	29.00	6.20		

**CHAUVET EUROPE - UK**  
 Brookhill Road Industrial Estate  
 Pinxton - Nottingham - NG16 6NT - UK  
 Tel: +44 1773 511115

E-mail: uksales@chauvetlighting.eu



www.chauvetpro.eu

**CHAUVET EUROPE - Belgium**  
 Stokstraat 18  
 9770 Kruishoutem - Belgium  
 Tel: +32 9 388 93 97

Remarks		Master Pack Data									
Item	Photo		UPC Code	QTY	Length (CM)	Width (CM)	Height (CM)	Weight (KG)			
COLORADO2QZOOM		<b>COLORado 2-Quad Zoom</b> Includes: Seetronic Powerkon IP65 Power Cord, Gel Frame Control: 3-pin DMX, 5-pin DMX	781462215927	1	43.50	30.50	39.50	10.20			
COLORADO2SOLO		<b>COLORado 2-SOLO</b> Includes: Seetronic Powerkon IP65 Power Cord, Gel Frame Control: 3-pin DMX, 5-pin DMX	781462215934								
COLORADO3SOLO		<b>COLORado 3-SOLO</b> Includes: Seetronic Powerkon IP65 Power Cord, Gel Frame Control: 3-pin DMX, 5-pin DMX	781462215811	1	47.00	31.50	38.00	11.50			
DF60X1D		<b>Color Blending Filter - 60 x 1 degree</b>	781462208639	50	27.94	38.10	2.55	1.13			
DF20D		<b>Color Blending Filter - 20 degree</b>	781462208622	50	27.94	38.10	2.55	1.13			
IP5POWER		<b>Power Extension Cable</b>	781462000332	50	30.48	33.02	48.26	10.89			
IP5SIG		<b>Signal Extension Cable</b>	781462000318	60	30.48	35.56	43.18	10.89			
IPDMX5P5FT		<b>IP DMX 5-pin, 5ft</b>	781462215392	1							
IPDMX5P10FT		<b>IP DMX 10-pin, 10ft</b>	781462215408	1							
IPDMX5P25FT		<b>IP DMX 25-pin, 25ft</b>	781462215415	1							
IPPOWERKONEXT5FT		<b>IP powerCON Extension, 5ft</b>	781462215422	1							
IPPOWERKONEXT10FT		<b>IP powerCON Extension, 10ft</b>	781462215439	1							
IPPOWERKONEXT25FT		<b>IP powerCON Extension, 25ft</b>	781462215446	1							
PCEXT0.5M		<b>14 Gauge powerCON Extension 0.5m</b>		1							
PCEXT1.5M		<b>14 Gauge powerCON Extension 1.5m</b>		1							
PCEXT3.0M		<b>14 Gauge powerCON Extension 3.0m</b>		1							
PCEXT10.0M		<b>14 Gauge powerCON Extension 10.0m</b>		1							
POWERCONEXT50FT		<b>powerCON Bare Wire Lead, 50ft</b>	781462207281	1	32.00	43.00	7.00	2.50			
CPMOVEUP		<b>Uploader for Maverick / Rogue Series</b>		1							
POWERSTREAM4		<b>Power Stream 4</b>	781462207830	4	27.50	22.50	27.00	3.20			
COLORDASHACCENTQUAD		<b>COLORdash Accent Quad</b> Includes: Power Cord Control: 5-pin DMX	781462212896	4	32.50	22.50	33.00	4.50			
COLORDASHBATTENQUAD12		<b>COLORdash Batten Quad 12</b> Includes: powerCON Power Cord, L-Brackets Control: 3-pin DMX, 5-pin DMX	781462210625	4	108.50	28.00	48.00	21.50			
COLORDASHPARHEX7		<b>COLORdash Par Hex 7</b> Includes: PowerCON Power Cord Control: 3-pin DMX, 5-pin DMX	781462211547	2	35.00	31.00	34.00	9.00			
COLORDASHPARH7IP		<b>COLORdash Par Hex 7 IP</b> Includes: Seetronic Powerkon IP65 Power Cord Control: 3-pin DMX, 5-pin DMX	781462216535	2	61.50	34.50	48.00	19.50			
COLORDASHPARHEX12		<b>COLORdash Par Hex 12</b> Includes: PowerCON Power Cord Control: 3-pin DMX, 5-pin DMX	781462211554	2	38.50	37.50	39.50	12.00			
COLORDASHPH12IP		<b>COLORdash Par Hex 12 IP</b> Includes: Seetronic Powerkon IP65 Power Cord Control: 3-pin DMX, 5-pin DMX	781462216450	2							
COLORDASHPARQUAD7		<b>COLORdash Par Quad 7</b> Includes: PowerCON Power Cord Control: 3-pin DMX, 5-pin DMX	781462209582	4	55.00	30.50	29.50	14.00			
COLORDASHPARQUAD18		<b>COLORdash Par Quad 18</b> Includes: PowerCON Power Cord Control: 3-pin DMX, 5-pin DMX	781462209605	2	39.00	38.00	39.00	12.50			
COLORDASHPARQ12IP		<b>COLORdash Par Quad 12 IP</b> Includes: Seetronic Powerkon IP65 Power Cord, Gel Frame Control: 5-pin DMX	781462215644	1							
COLORDASHSPAR1		<b>COLORdash S-Par 1</b> Includes: Seetronic Powerkon IP65 Power Cord, Gel Frame Control: 5-pin DMX	781462214746	1	52.50	34.00	43.00	10.00			
CDASHP7BARNDOR		<b>COLORdash Par 7 Barn Door</b>	781462210762	8	50.00	31.00	34.50	10.50			
CDASHP18BARNDOR		<b>COLORdash Par 18 Barn Door</b>	781462210779	8	59.00	36.00	34.50	13.00			
AMHAZEWHISPER		<b>AMHAZE Whisper</b> Includes: Integrated Flight Case Control: 3-pin DMX, 5-pin DMX	781462216115	1	59.00	49.00	35.50	17.00			
FJ5		<b>Smoke Fluid - 5 litres</b>	781462213534	4	33.00	33.00	34.00	4.31			
HJ5		<b>High Performance Haze Fluid - 5 litres</b>	781462213541	4	33.00	33.00	34.00	4.31			
GJ5		<b>Quick Dissipating Fluid - for Atmos and Geysers</b>	781462213565	4	33.00	33.00	34.00	4.31			
NETSWITCH		<b>NET-Switch Network Switch</b> Includes: PowerCON power cable Data connections: Ethernet In/Out (x8)	781462214425	1	15.35	4.13	12.40	2.50			
NETX		<b>Net-X Artnet Node</b> Includes: IEC power cable Data connections: Ethernet In/Out, 5-Pin DMX In (x2), 5-Pin DMX Out (x8)	781462212063	1	57.00	23.50	105.00	2.70			
POWERSTREAM4		<b>Power Stream 4</b>	781462207830	4	27.50	22.50	27.00	3.20			
RDM2GO		<b>RDM2go RDM configuration and testing tool</b> Includes: Carry Pouch, 2 pcs 3-to-5-pin converters, 5-pin male to bare wire adaptor, USB charging cable Data connections: 5-pin XLR In/Out	781462214418	8							

**CHAUVET EUROPE - UK**  
 Brookhill Road Industrial Estate  
 Pinxton - Nottingham - NG16 6NT - UK  
 Tel: +44 1773 511115

E-mail: [uksales@chauvetlighting.eu](mailto:uksales@chauvetlighting.eu)



[www.chauvetpro.eu](http://www.chauvetpro.eu)

**CHAUVET EUROPE - Belgium**  
 Stokstraat 18  
 9770 Kruishoutem - Belgium  
 Tel: +32 9 388 93 97

Remarks		Master Pack Data									
Item	Photo		UPC Code	QTY	Length (CM)	Width (CM)	Height (CM)	Weight (KG)			
STRIKE1		<b>Strike 1</b> Includes: IP PowerKon Power Cord, Gel Frame Holder, Gel Frame, Multi-Bracket Control: 3-pin DMX, 5-pin DMX	781462215620	1							
STRIKE4		<b>Strike 4</b> Includes: powerCON Power Cord Control: 3-pin DMX, 5-pin DMX	781462214272	1	45.00	45.00	23.50	10.00			
SYNAPSE4		<b>Synapse 4</b> Includes: powerCON Power Cord Control: 5-pin DMX	781462214364	1							
WELLCOM	 <b>NEW</b>	<b>Well Com Wireless Controller</b> Includes: WDMX Transmitter with cue, sequence, and chase control from a smart phone or tablet via the WELLCOM App, USB Charger, 5-pin DMX output adaptor - Control: Wi-Fi App	781462216207	10							
WELLFITX6 WELLFITX6BLK	 <b>NEW</b>	<b>WELL Fit 6-Pack - in Chrome or Black housing</b> Includes: Integrated Flight Case/Charging Unit, 6 pcs. PowerCON Power Cord Control: W-DMX and 5-pin DMX	781462215002	1	76.00	61.00	56.50	66.00			
DMX5F3M		<b>5-Pin F to 3-Pin M</b>	781462203528	24	30.00	16.00	10.00	2.00			
DMX5P10FT		<b>5-Pin 10' DMX Cable</b>	781462203498	24	43.00	38.00	12.00	7.00			
DMX5P25FT		<b>5-Pin 25' DMX Cable</b>	781462203504	24	43.00	38.00	18.00	12.00			
DMX5P5FT		<b>5-Pin 5' DMX Cable</b>	781462203481	24	43.00	38.00	7.00	5.00			
IPDMX5P5FT	 <b>NEW</b>	<b>IP DMX 5-pin, 5ft</b>	781462215392	1							
IPDMX5P10FT	 <b>NEW</b>	<b>IP DMX 10-pin, 10ft</b>	781462215408	1							
IPDMX5P25FT	 <b>NEW</b>	<b>IP DMX 25-pin, 25ft</b>	781462215415	1							
USSR132		<b>132W Osram Sirius Lamp</b>	781462211752	1	9.00	9.00	10.00	0.10			
USSR230		<b>230W Osram Sirius Lamp</b>	781462209551	1	9.00	9.00	10.00	0.10			
USSR330		<b>330W Osram Sirius Lamp</b>	781462211745	1	9.00	9.00	10.00	0.10			
USSR440		<b>440W Osram Sirius Lamp</b>	781462215781	1	9.00	9.00	10.00	0.10			
SC07		<b>SC-07</b> Professional Safety Cable	781462213701	100	33.00	30.00	25.00	7.80			
CTC50G		<b>CTC-50G</b> Gripper Clamp (50mm)	781462214708	12	36.00	13.00	28.00	6.80			
CTC50HC		<b>CTC-50HC</b> Half-Coupler	781462211158	12	37.00	13.00	26.00	9.00			
CTC50HCN		<b>CTC-50HCN</b> Narrow Half-Coupler	781462211165	12	26.00	13.00	26.00	6.50			
CTC50SCL		<b>CTC-50SCL</b> Swivel-Coupler	781462214029	12	37.00	18.00	30.00	16.50			

**CHAUVET EUROPE - UK**  
 Brookhill Road Industrial Estate  
 Pinxton - Nottingham - NG16 6NT - UK  
 Tel: +44 1773 511115

E-mail: [uksales@chauvetlighting.eu](mailto:uksales@chauvetlighting.eu)



[www.chauvetpro.eu](http://www.chauvetpro.eu)

**CHAUVET EUROPE - Belgium**  
 Stokstraat 18  
 9770 Kruishoutem - Belgium  
 Tel: +32 9 388 93 97

Remarks Master Pack Data

Item	Photo																		Weight (KG)	
12036005		<b>Ilumiline 36 IP</b> Optics: 60 x 10 RGB IP67 Silver housing																		
01610559		<b>Ilumiline 21g2 IP</b> Optics: 60 x 10 RGB IP67 Silver housing																		
12012007		<b>Ilumiline Inground Tri 12 IP</b> Optics: 25 RGB IP67 Silver housing																		
01620928		<b>Ilumipanel 24g2 IP</b> Optics: 30 RGB IP67 Off White housing																		
01620521		<b>Ilumipanel 40 IP</b> Optics: 30 RGB IP67 Off White housing																		
01620631		<b>Ilumipanel 90 IP</b> Optics: 30 RGB IP67 Off White housing																		
01620634		<b>Ilumipanel 180 IP</b> Optics: 15-30 RGB IP67 Off White housing																		
01630554		<b>Ilumipod 18g2 IP</b> Optics: 30 RGB IP67 Off White housing																		
01630929		<b>Ilumipod 36g2 IP</b> Optics: 30 RGB IP67 Off White housing																		
01630930		<b>Ilumipod 54g2 IP</b> Optics: 30 RGB IP67 Off White housing																		
11003001		<b>Ilumipod Inground Tri-3 IP</b> Optics: 25 RGB IP67 Silver housing																		
11012001		<b>Ilumipod Inground Tri-12 IP</b> Optics: 25 RGB IP67 Silver housing																		
03631070		<b>Colorist Pod 1Qa</b> Optics: 15 RGB IP65 Black housing																		
03630839		<b>Colorist Pod 7Qa</b> Optics: 15 RGB IP65 Off White housing																		
03630838		<b>Colorist Pod 18Qa</b> Optics: 15 RGB IP65 Off White housing																		
03610837		<b>Colorist line 6Qa</b> Optics: 15 RGB IP65 Off White housing																		
03610836		<b>Colorist line 12Qa</b> Optics: 15 RGB IP65 Off White housing																		
03620841		<b>Colorist Panel 8Qa</b> Optics: 15 RGB IP65 Off White housing																		
03620840		<b>Colorist Panel 36Qa</b> Optics: 15 RGB IP65 Off White housing																		

E & OE