



logic systems
PRO AUDIO

Full Retail Price List



Ethos V12 Array

Ethos V12 array comprises of a range of two cabinets, which can be combined in a variety of ways to cover front of house sound from venues such as grand theatres up to large stadium concerts. The system is designed to ground stack as easily as it will fly. Ultimate flexibility is combined with sonic excellence as the **Ethos V12** system is versatile and equally at home in fixed install or touring.

The system is comprised of two integrated elements, **Ethos V12**, a vertically arraying loudspeaker with 90° horizontal by 10° vertical directivity and the **Ethos SB218**, a 2 x 18" direct radiating sub bass cabinet designed to fly above the **Ethos V12** or serve as a basis of a ground stacked system or the **Ethos V12** can be ground stacked directly from the Fly frame. The **Ethos VA** cabinets can also be flown under the **Ethos V12** array as down fills.




Ethos V12	<ul style="list-style-type: none"> • Full touring large format vertical array cabinet • Integral fly system. (Includes pins and splay bars.) • Bass: 2 off 12" neodymium cone drivers (800w RMS, 16 ohm) • Mid: 4 off 6.5" neodymium cone drivers (800w RMS, 16 ohm) • HF: 2 off 1.4" exit neodymium compression driver (220w RMS, 16 ohm) 	£4995.00	
Ethos V12			
Transit Dolly Cover	<ul style="list-style-type: none"> • Heavy duty touring dolly • Heavy duty cover 	£185.00 £125.00	
Ethos SB218	<ul style="list-style-type: none"> • Integrated fly system for combining with Ethos V12 • 2 off 18" neodymium drivers (2400w RMS, 4 ohm) • Touring grade specification 	£3750.00	
Ethos SB218			
Transit Dolly Cover	<ul style="list-style-type: none"> • Heavy duty touring dolly • Heavy duty cover 	£200.00 £140.00	
<u>Ethos V12 Ancillaries</u>			
Ethos V12 FF	<ul style="list-style-type: none"> • Ethos V12 Fly Frame Assembly 	£ 920.00	
Ethos V12 Link Ass	<ul style="list-style-type: none"> • Ethos V12 Link Assembly for use with the Fly Frame Assembly for ground stacking the system and flying VA under the V12. 	£295.00	



Ethos VA Array

This Array is centred on the **VA** enclosure, which has directivity of 120 H x 10 V. While the **VA** can be used free standing for vocal applications it is more commonly combined with the **Nd315** cabinet for extended bass response. The **Nd315** can be flown above an array or used as the basis of a ground stack. Multiple **Nd315** cabinets will lock together when ground stacked. For larger applications when substantial sub bass reinforcement is required the **Nd218** cabinet can be groundstacked with the system.




The heart of **Ethos Nd218** and **Nd315** is state of the art, long excursion neodymium drive units. The drivers combine light weight with incredibly linear cone excursion and benefit from high power handling with reduced power compression. **Ethos Nd** has been designed for life on the road with a heavy duty front mounted transit dolly, secured to the cabinet with heavy duty draw bolt catches. **Ethos VA Nd** is an upgrade on the original **VA** enclosure featuring a similar clip on dolly arrangement to the bass cabinets. The benefits are an enhanced flying system and the option of a flightcase protective lid. Existing **VA** cabinets can be upgraded to Nd specification.

Ethos VA Nd	<ul style="list-style-type: none"> • Touring version of compact vertical array • Integral fly system. (Includes pins and splay bars.) • 2 off Neodymium 8" mid/bass cone drivers (500w RMS) • 2 off neodymium 1" compression drivers (160w RMS) 	£2220.00	 <p>Ethos VA Nd</p>
VA Transit Dolly	<ul style="list-style-type: none"> • Clip on transit dolly for use with three VA enclosures 	£200.00	
Flightcase cover	<ul style="list-style-type: none"> • Flightcase transit cover for three Ethos VA Nd 	£595.00	
Ethos Nd315	<ul style="list-style-type: none"> • Integrated fly system for combining with Ethos VA • 3 off 15" neodymium drivers (3000w RMS, 2.7 ohm) • M20 plate for pole mount of Ethos CA • Touring grade specification with optional HD dolly 	£3150.00	 <p>Ethos Nd315</p>
Ethos Nd315i	<ul style="list-style-type: none"> • Installation version of above 	£2230.00	
Transit Dolly	<ul style="list-style-type: none"> • Heavy duty touring dolly 	£170.00	
Cover	<ul style="list-style-type: none"> • Heavy duty cover 	£110.00	
Ethos Nd218	<ul style="list-style-type: none"> • 2 off 18" neodymium drivers (2400w RMS, 4 ohm) • Designed for groundstack applications in H or V mode • Touring grade specification with optional HD dolly 	£1975.00	 <p>Ethos Nd218</p>
Ethos Nd218i	<ul style="list-style-type: none"> • Installation version of above 	£1870.00	
Transit Dolly	<ul style="list-style-type: none"> • Heavy duty touring dolly 	£170.00	
Cover	<ul style="list-style-type: none"> • Heavy duty cover 	£110.00	
 Ethos VA Ancillaries			
Ball Lok Pin	<ul style="list-style-type: none"> • Quick release pin for assembling arrays 	£29.00	
Ethos VA FF	<ul style="list-style-type: none"> • Ethos VA Fly Frame 	£ 495.00	
Ethos VA Rack	<ul style="list-style-type: none"> • 12U. Amplifier rack, in birch ply with clip on front/back doors and internal suspended steel rack frame. Complete with mains supply and road cover 	£ 1305.00	






Ethos CA Compact Array

The **Ethos CA** is an ultra-compact fixed angle array box, which has been designed for ultimate flexibility. Having the ability to be pole mounted groundstacked or flown in an array, the **CA** enclosure gives you options that have never before been available from just one product. Functionality is further increased with the option of two coverage angles; 90 x 20 for the **Ethos CA20** and 90 x 10 for the **Ethos CA10**. While the **CA** can be used free standing for vocal applications it can also be combined with the **Ethos Nd115** or **Ethos Nd215** bass enclosure which can either be used as the basis of a groundstack or flown above an array. When further low end reinforcement is required the **Ethos Nd218** can also be added to the system. System control comes from the **DP2140** which contains presets for a variety of combinations.

Ethos CA20	<ul style="list-style-type: none"> • Ultra compact passive fixed angle array enclosure • 90h x 20v HF coverage • Integral fly system. (Includes pins and link bars.) • Variable angle Tophat mount • Neodymium 8" mid/bass cone driver • 2 off neodymium 1" compression drivers • 250w RMS power handling (16 ohm.) 	£1425.00	 <p>Ethos CA20/10</p>
Ethos CA10	<ul style="list-style-type: none"> • Version with 10 degree vertical directivity 	£1425.00	
Ethos CA20i	<ul style="list-style-type: none"> • Installation specific version of Ethos CA20 	£1305.00	
Ethos CA10i	<ul style="list-style-type: none"> • Installation specific version of Ethos CA10 	£1305.00	
Ethos Nd215	<ul style="list-style-type: none"> • Integrated fly system for combining with Ethos CA • 2 off 15" neodymium drivers (2000w RMS, 4 ohm) • M20 plates for pole mount of Ethos CA • Touring grade specification with optional HD dolly 	£2125.00	 <p>Ethos Nd215</p>
Ethos Nd215i	<ul style="list-style-type: none"> • Installation version of above 	£1650.00	
Dolly	<ul style="list-style-type: none"> • Heavy duty touring dolly 	£165.00	
Cover	<ul style="list-style-type: none"> • Heavy duty cover 	£100.00	
Ethos Nd115	<ul style="list-style-type: none"> • Integrated fly system for combining with Ethos CA • 1 off 15" Neodymium driver (1000W RMS, 8 ohm) • M20 plates for pole mount of Ethos CA • Touring grade specification with optional HD dolly 	£1335.00	 <p>Ethos Nd115</p>
Dolly	<ul style="list-style-type: none"> • Heavy duty touring dolly 	£160.00	
Cover	<ul style="list-style-type: none"> • Heavy duty cover 	£90.00	
 Ethos CA Ancillaries			
Ball Lok Pin	<ul style="list-style-type: none"> • Quick release pin for assembling arrays 	£29.00	
Ethos CA FF	<ul style="list-style-type: none"> • Ethos CA Fly Frame 	£450.00	
CA Lock Down Bar	<ul style="list-style-type: none"> • CA Lock Down Bar for use with Ethos CA Fly Frame 	£65.00	
Ethos CA GS	<ul style="list-style-type: none"> • Ethos CA ground stack assembly 	£295.00	
CA Cover	<ul style="list-style-type: none"> • Padded cover for Ethos CA 	£50.00	
CA4 Flightcase	<ul style="list-style-type: none"> • Flightcase to take four CA complete with ancillary tray 	£845.00	
Ethos CA Rack	<ul style="list-style-type: none"> • 8U Amplifier rack in birch ply with clip on doors, Includes output panel, mains supply and transit cover 	£1270.00	









The **LM series** have been principally designed as state of the art stage monitors. The passive only **LM12** and **LM15** enclosures are also fitted with a top hat to increase their functionality. The **LM15** and **LM20** benefit from cone drivers with neodymium magnet structures, while the LM20 also benefits from being passive/ active switchable and a neodymium compression driver.

LM 12	<ul style="list-style-type: none"> • 12" Cone driver • Coaxially mounted 1" compression driver • 400w RMS power handling • 8 ohm • 55Hz to 20Khz frequency range • One off transit handle • Top hat mount 	£995.00	 <p>LM12 Cabinet</p>
Flightcase	<ul style="list-style-type: none"> • Flightcase to take a pair of LM12 cabinets 	£575.00	
LM 15	<ul style="list-style-type: none"> • 15" Neodymium cone driver • Coaxially mounted 1.4" compression driver • 600w RMS power handling • 8 ohm • 50Hz to 20Khz frequency range • One off transit handle • Top hat mount 	£1185.00	 <p>LM15 Cabinet</p>
Flightcase	<ul style="list-style-type: none"> • Flightcase to take a pair of LM15/20 cabinets. 	£625.00	
LM 20	<ul style="list-style-type: none"> • 15" Neodymium cone driver • Coaxially mounted 1.4" large format neodymium Compression driver • 600w RMS power handling • 8 ohm • Active/passive switchable • 45Hz to 20Khz frequency range • Two off transit handles • Top hat integrated into handle housing 	£1625.00	 <p>LM20 Cabinet</p>
Flightcase	<ul style="list-style-type: none"> • Flightcase to take a pair of LM15/20 cabinets. 	£625.00	



ML Series is Logic Systems premium product range. With applications within Audio Visual, Church, Theatre and Live sound **ML** is a true multi-functional product. With symmetrical 45 degree back angles and rotating horn flare all cabinets can be used in arrays, in portrait or landscape mode for distributed systems, or for stage monitoring. All cabinets benefit from state of the art loudspeaker components, many of which benefit from neodymium magnet structures. **ML Series** products are designed for incredibly linear frequency response, which is enhanced when they are combined as an integrated system with the **DP2140** digital loudspeaker management system and the suggested bass enclosures.

ML8	<ul style="list-style-type: none"> • 8" Neodymium cone driver • 1" Compression driver on 90 x 60 CD flare • 250w RMS power handling • 16 ohm • 70Hz to 20Khz frequency range • One off transit handle and Top hat mount 	£785.00	
			ML8
Flightcase Yoke	<ul style="list-style-type: none"> • Flightcase to take a pair of ML8 and flying yokes • ML8 flying yoke, (supplied without truss clamp.) 	£550.00 £115.00	
B.5	<ul style="list-style-type: none"> • 12" compact bass cabinet • 400w RMS power handling • 8 ohm • 50Hz to 150Hz frequency range • M20 pole mount plate • 2 off Transit handles 	£630.00	
			B.5
ML 12	<ul style="list-style-type: none"> • 12" cone driver • 1" compression driver on 90 x 40 CD flare • 400w RMS power handling • 8 ohm • 55Hz to 20Khz frequency range • Two off transit handles and Top hat mount 	£1095.00	
			ML12/14
ML14 Flightcase Yoke	<ul style="list-style-type: none"> • As above but with 1.4" Neodymium compression driver • Flightcase to take a pair of ML12/14 cabinets • ML12/14 flying yoke, (supplied without truss clamp.) 	£1305.00 £640.00 £130.00	
B1	<ul style="list-style-type: none"> • 15" compact bass cabinet • 500w RMS power handling • 4 ohm (8 ohm version available on request) • 45Hz to 150Hz frequency range • M20 pole mount plate • 2 off Transit handles 	£750.00	
			B1
ML 15	<ul style="list-style-type: none"> • 15" cone driver • 1.4" Neo Compression driver on 90 x 40 CD flare • 60 x 40 option • 500w RMS power handling • 8 ohm • 50Hz to 20Khz frequency range • Two off transit handles and Top hat mount 	£1535.00	
			ML15
Yoke	<ul style="list-style-type: none"> • ML15 flying yoke, (supplied without truss clamp.) 	£150.00	
SB1	<ul style="list-style-type: none"> • 18" compact sub bass cabinet • 1200w RMS power handling • 8 Ohm • 40Hz to 150Hz frequency range • M20 pole mount plate 	£975.00	
			SB1



The **IS Series** of cabinets are a dedicated installation range aimed at the theme bar and nightclub market. Now in their second-generation the products are the result of extensive consultation with installation customers and aim to bring a quality of sound and build quality not normally available at this price point. **IS Series** are available in black, white and silver colour options.

- IS7**
- Compact full range background box
 - Bass/Mid: 6.5" cone
 - HF: Titanium dome
 - 100w RMS power handling
 - 8 ohm
- £ 375.00



IS7

- IS8**
- Compact full range foreground box
 - Bass/Mid: 8" cone
 - HF: 1" Compression driver
 - 200w RMS power handling
 - 8 ohm
- £ 455.00




IS8

- IS10**
- Compact full range foreground box
 - Bass/Mid: 10" cone
 - HF: 1" Compression driver
 - 300w RMS power handling
 - 8 ohm
- £ 695.00




IS10

- IS12**
- Compact full range foreground box
 - Bass/Mid: 12" cone
 - HF: 1" compression driver
 - 350w RMS power handling
 - 8 ohm
- £ 745.00



IS12

- IS15**
- Compact full range foreground box
 - Bass/Mid: 15" cone
 - HF: 1.4" compression driver
 - 400w RMS power handling
 - 8 ohm
- £830.00




IS15

Installation bass enclosures


General purpose installation cabinet that can be installed in either portrait or landscape

- B120i**
- 12" bass cabinet
 - 400w RMS power handling
 - 8 ohm
 - 55Hz to 150Hz frequency range
- £555.00




B120i

- B150i**
- 15" bass cabinet
 - 500w RMS power handling
 - 4 ohm (8 ohm version available on request)
 - 45Hz to 150Hz frequency range
- £640.00




B150i

- B300i**
- 2 x 15" bass cabinet
 - 1000w RMS power handling
 - 4 ohm
 - 40Hz to 150Hz frequency range
- £1040.00



B300i

- SB180i**
- 1 x 18" sub bass
 - 1000w RMS power handling
 - 8 ohm
 - 40Hz to 150Hz frequency range
- £930.00






SB180i






Low line Installation bass enclosures

Principally designed to integrate with the ML range these cabinets are also a prime choice when space is an issue and bass is to be installed below seating or podiums. (For optimum performance always install in landscape mode.)

B.5	<ul style="list-style-type: none"> • 12" compact bass cabinet • 400w RMS power handling • 8 ohm • 50Hz to 150Hz frequency range 	£630.00	 <p>B.5</p>
B1	<ul style="list-style-type: none"> • 15" compact bass cabinet • 500w RMS power handling • 4 ohm (8 ohm version available on request) • 45Hz to 150Hz frequency range 	£750.00	 <p>B1</p>
SB1	<ul style="list-style-type: none"> • 18" compact sub bass cabinet • 1200w RMS power handling • 8 ohm • 40Hz to 150Hz frequency range 	£975.00	 <p>SB1</p>

Ethos Nd Installation bass enclosures







Based on the Ethos live sound range of bass enclosures Ethos Nd features state of the art, long excursion neodymium cone drivers, in a highly developed second generation twin tuned enclosure. Cabinets are intended for use in the landscape mode and are the natural choice for those occasions when only the ultimate bass performance will do.

Nd215i	<ul style="list-style-type: none"> • 2 x 15" bass cabinet • 2000w RMS power handling • 4 ohm • 40Hz to 150Hz frequency range 	£1650.00	 <p>Nd215i</p>
Nd315i	<ul style="list-style-type: none"> • 3 x 15" bass cabinet • 3000w RMS power handling • 2.7 ohm • 40Hz to 135Hz frequency range 	£2230.00	 <p>Nd315i</p>
Nd218i	<ul style="list-style-type: none"> • 2 x 18" sub bass cabinet • 2400w RMS power handling • 4 ohm • 40Hz to 100Hz frequency range 	£1870.00	 <p>Nd218i</p>



Origin 1296 System




The Origin 1296 System is designed as a dedicated three box FOH concert system. The system features a horn loaded mid/top cabinet featuring exceptional spl and defined coverage. The bottom end is covered by a combination of bass and sub bass enclosures, which are run in parallel over the same pass band and share a common 40 Hz tuning. These are available in powered and unpowered options. The **DP2140** provides DSP control for the Origin unpowered system.

Origin 1296Nd Active	<ul style="list-style-type: none"> • Mid: 12" Neo Cone driver • HF: 2" Neo Co-axial Compression driver on CD horn • Dispersion: 60° x 40° • 400w RMS self powered with on board DSP • External gain adjustment • 150Hz to 20KHz frequency range • Fly point 	£2935.00	 <p>Origin 1296Nd</p>
Origin 1296Nd	<ul style="list-style-type: none"> • Unpowered version • 400w RMS power handling • 8 ohm 	£2155.00	
Transit Dolly Padded Cover	<ul style="list-style-type: none"> • Clip on transit dolly for use with Origin 1296 • Padded cover for Origin 1296 	£190.00 £110.00	
Origin B215 Active	<ul style="list-style-type: none"> • 2 x 15" push/pull bass cabinet • 1400w RMS self powered with on board DSP • External gain adjustment • 40Hz to 150Hz frequency range 	£2425.00	 <p>Origin B215</p>
Origin B215	<ul style="list-style-type: none"> • Unpowered version • 1400w RMS power handling • 4 ohm 	£1165.00	
Origin SB118 Active	<ul style="list-style-type: none"> • 1 x 18" sub bass cabinet • 1200w RMS self powered with on board DSP • External gain adjustment • 40Hz to 150Hz frequency range 	£1975.00	 <p>Origin SB118</p>
Origin SB118	<ul style="list-style-type: none"> • Unpowered version • 1200w RMS power handling • 8 ohm 	£975.00	
Padded Cover Transit Dolly	<ul style="list-style-type: none"> • Padded cover for Origin B215 / SB118 • Clip on transit dolly for use with B215/SB118 	£100.00 £190.00	



Origin

The Origin series is a range of Powered cabinets utilising the latest lightweight amplifier modules and onboard DSP software providing complete plug and go systems without the need for amp racks making set up time as quick as possible. Origin is also available in passive format using the Logic system DP2140 system controller containing presets for the Bi-amp operation of the systems. The range consists of three different systems and a powered monitor option. The Origin 12 system is a four box 2.1Kw system comprising of the Origin12 which combines a 12" neo mid/Bass cone with a coaxially mounted 1.4" neo compression driver and the OriginB115 which utilises a long excursion 15" Bass cone. The Origin 15 system is a four box 3.6Kw system comprising of the Origin15 which combines a 15" neo mid/bass cone with a coaxially mounted 1.4" compression driver and the OriginSB118 which utilises a 18" front radiating Bass driver. The Origin 12 & 15 cabinets can also be used on their own as a full range cabinet or as a compact and low line stage monitor.

Origin 12 Active	<ul style="list-style-type: none"> • 12" Neo Cone driver • Coaxially mounted Neo 1.4" compression driver • 350w RMS self powered with on board DSP • External gain adjustment • 60Hz to 18Khz frequency range 	£1895.00	 Origin 12
Origin 12	<ul style="list-style-type: none"> • Unpowered version • 350w RMS power handling • 8 ohm 	£1165.00	
Origin 15 Active	<ul style="list-style-type: none"> • 15" Neo Cone driver • Coaxially mounted 1.4" compression driver • 600w RMS self powered with on board DSP • External gain adjustment • 55Hz to 18Khz frequency range 	£2035.00	 Origin 15
Origin 15	<ul style="list-style-type: none"> • Unpowered version • 600w RMS power handling • 8 ohm 	£1400.00	
Origin B115 Active	<ul style="list-style-type: none"> • 1 x 15" bass cabinet • 700w RMS self powered with on board DSP • External gain adjustment • 40Hz to 150Hz frequency range 	£1755.00	 Origin B115
Origin B115	<ul style="list-style-type: none"> • Unpowered version • 700w RMS power handling • 8 ohm 	£750.00	
Origin 12 Cover	<ul style="list-style-type: none"> • Padded cover for Origin 12 	£70.00	
Origin 15 Cover	<ul style="list-style-type: none"> • Padded cover for Origin 15 	£70.00	
Origin B115 Cover	<ul style="list-style-type: none"> • Padded cover for Origin B115 	£90.00	
Transit Dolly	<ul style="list-style-type: none"> • Clip on transit dolly for use with Origin B115 	£170.00	



LS Series Amplifiers

LS series amplifiers are made for Logic Systems by English amplifier designers and manufacturers Full Fat Audio (FFA). There are three amplifiers in the range, two excellent high power, dual power supply amplifiers, LS-6000 and LS-10000 plus a four-channel amplifier LS-6004. The 4 channel amplifier is versatile for a wide variety of applications. All three amplifiers utilise rugged switch modulation power supplies (SMPS) with Class D Pulse Width Modulation amplifier stages.

These Feature power efficient and cool running, lightweight, rugged tour class Aluminium construction, FFA class D technology, side chain TCA clip limiter, signal link through and are hand built and designed in England

LS-6004	<ul style="list-style-type: none"> • Four Channel Amplifier: • Output power (Watts RMS) per channel • 8Ω - 800W; 4Ω - 1500W • Gain 32dB • Frequency Response 20Hz - 20kHz 	£2600.00
LS-6000	<ul style="list-style-type: none"> • Two Channel Amplifier: • Output power (Watts RMS) per channel • 8Ω - 1000W; 4Ω - 1800W; 2Ω - 3000W • Gain 32dB • Frequency Response 20Hz - 20kHz 	£2750.00
LS-10000	<ul style="list-style-type: none"> • Two Channel Amplifier: • Output power (Watts RMS) per channel • 8Ω - 1500W; 4Ω - 3000W; 2Ω - 5000W • Gain 32dB • Frequency Response 20Hz - 20kHz 	£3350.00

Please note normal discount structure does not apply to LS Series Amplifiers. Please contact Logic Systems direct for more information.

System control

The **DP2140** & **DP2160** digital system controllers provide the control for all **Logic Systems** loudspeaker products. Both units are housed in a standard 1U 19" rack format. The unit's key points are:

- 96 KHz operating speed
- 6 PEQ per input and output
- Hi shelf/Low shelf filters on input & output
- Adjustable delay on inputs & outputs
- Individual limiters per output
- HPF on inputs
- HPF and LPF on all outputs
- Large choice of filter types from 6dB to 48dB.
- Optional 'BV Net' network ready for computer control of multiple units.

DP2140	<ul style="list-style-type: none"> • 2 in 4 out DSP controller 	£1050.00
DP2140 BV Net	<ul style="list-style-type: none"> • 2 in 4 out DSP controller with network control 	£1145.00
DP2160	<ul style="list-style-type: none"> • 2 in 6 out DSP controller 	£1255.00
DP2160 BV Net	<ul style="list-style-type: none"> • 2 in 6 out DSP controller with network control 	£1350.00
BV Net Interface	<ul style="list-style-type: none"> • Network interface box with integrated USB adapter 	£295.00



Miscellaneous

Distance bar	• K&M screw in pole mount	• Per Unit:	£ 65.00 each
IS Series brackets	• Black or white finished wall brackets for mounting IS series full range boxes	• IS7 bracket: • IS8 bracket: • IS10 bracket: • IS12/15 bracket	£ 28.00 each £ 71.00 each £ 90.00 each £ 90.00 each
MLSeries brackets	• Black finished wall brackets for mounting ML Series cabinets.	• ML8 bracket • ML12 brackets • ML15 brackets	£ 71.00 each £ 90.00 each £ 96.00 each
Truss clamp	• Truss clamp for ML series yokes	• Truss clamp	£ 30.00 each
Speaker covers	• Padded speaker covers	• ML8 cover • ML12/14 cover • ML15 cover • B.5 cover • B1 cover • SB1 cover	£ 40.00 each £ 55.00 each £ 55.00 each £ 55.00 each £ 70.00 each £ 95.00 each



Logic Systems Pro Audio Ltd
 Units 5 & 6 Sandars Road, Heapham Road Industrial Estate,
 Gainsborough, Lincolnshire. DN21 1RZ
 T: +44 (0)1427 611791 F: +44 (0)1427 677008
 E: sales@logicsystems.co.uk W: www.logicsystems.co.uk

(Prices are per speaker and exclude VAT and delivery. List effective from: 01/04/2016. E&OE)

Logic Systems Pro Audio LTD reserves the right to change specifications without prior notice.